



LEGEND:



BITUMINOUS CONCRETE DRIVEWAY REPAIR

NOTES:

1. INCREASE CONCRETE DEPTH FROM 5" TO 8" AT DRIVEWAYS. SEE STANDARD DETAILS.
2. TOPSOIL AND SEED SHALL BE INSTALLED ALONG DISTURBED GRASS AREAS.
3. ALL CONCRETE RAMPS AND CURBS SHALL HAVE AN 18" CUTBACK.
4. ALL TREES SHALL BE PROTECTED UNLESS OTHERWISE SHOWN ON PLANS.

TOWN OF BRANFORD
TOWN CENTER SIDEWALK REHABILITATION
PROJECT NO.
SITE PLAN



| | | | | |
|--|----------------|----|---------------|-------------|
| SUBMITTED BY: KAO APPROVED BY: JMH FILE NAME: SITE PLAN.dwg | DATE: 12/20/25 | | SCALE: 1"=40' | |
| | REVISIONS | BY | DATE | DESCRIPTION |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |



LEGEND:



BITUMINOUS CONCRETE DRIVEWAY REPAIR

NOTES:

1. INCREASE CONCRETE DEPTH FROM 5" TO 8" AT DRIVEWAYS. SEE STANDARD DETAILS.
2. TOPSOIL AND SEED SHALL BE INSTALLED ALONG DISTURBED GRASS AREAS.
3. ALL CONCRETE RAMPS AND CURBS SHALL HAVE AN 18" CUTBACK.
4. ALL TREES SHALL BE PROTECTED UNLESS OTHERWISE SHOWN ON PLANS.

TOWN OF BRANFORD
TOWN CENTER SIDEWALK REHABILITATION
PROJECT NO.
SITE PLAN



| | | | | |
|---|----------------|----|---------------|-------------|
| SUBMITTED BY: KAO APPROVED BY: JMH FILE NAME: SITE PLAN.dwg | DATE: 12/20/25 | | SCALE: 1"=40' | |
| | REVISIONS | BY | DATE | DESCRIPTION |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |



TOWN OF BRANFORD
TOWN CENTER SIDEWALK REHABILITATION
PROJECT NO.
SITE PLAN



| | | | | | |
|-------------------|--|----------------|--|---------------|--|
| SUBMITTED BY: KAO | | DATE: 12/20/25 | | SCALE: 1"=40' | |
| APPROVED BY: JMH | | DATE: | | REVISIONS | |
| FILE NAME: | | BY: | | DESCRIPTION | |
| SITE PLAN.dwg | | | | | |
| REVISION NO. | | DATE | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |



LEGEND:



BITUMINOUS CONCRETE DRIVEWAY REPAIR

NOTES:

1. INCREASE CONCRETE DEPTH FROM 5" TO 8" AT DRIVEWAYS. SEE STANDARD DETAILS.
2. TOPSOIL AND SEED SHALL BE INSTALLED ALONG DISTURBED GRASS AREAS.
3. ALL CONCRETE RAMPS AND CURB SHALL HAVE AN 18" CUTBACK.
4. ALL TREES SHALL BE PROTECTED UNLESS OTHERWISE SHOWN ON PLANS.


TOWN OF BRANFORD
TOWN CENTER SIDEWALK REHABILITATION
PROJECT NO.
SITE PLAN



| | | | |
|--------------------------|------|----------------|---------------|
| SUBMITTED BY: KAO | | DATE: 12/20/25 | SCALE: 1"=40' |
| APPROVED BY: JMH | | DATE: | DATE: |
| FILE NAME: SITE PLAN.dwg | | DATE: | DATE: |
| REVISION NO. | DATE | BY | DESCRIPTION |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |



LEGEND:

 BITUMINOUS CONCRETE DRIVEWAY REPAIR

- NOTES:
1. INCREASE CONCRETE DEPTH FROM 5" TO 8" AT DRIVEWAYS. SEE STANDARD DETAILS.
 2. TOPSOIL AND SEED SHALL BE INSTALLED ALONG DISTURBED GRASS AREAS.
 3. ALL CONCRETE RAMPS AND CURB SHALL HAVE AN 18" CUTBACK.
 4. ALL TREES SHALL BE PROTECTED UNLESS OTHERWISE SHOWN ON PLANS.


TOWN OF BRANFORD
TOWN CENTER SIDEWALK REHABILITATION
PROJECT NO.
SITE PLAN



| | | | |
|-----------------------------|------------------|---------------|------|
| DATE: 12/20/25 | | SCALE: 1"=40' | |
| SUBMITTED BY: KAO | APPROVED BY: JMH | REVISIONS | |
| | | BY | DATE |
| FILE NAME: SITE PLAN.dwg | REVISION NO. | 1 | |
| | | 2 | |
| | | 3 | |
| | | 4 | |
| | | 5 | |
| | | 6 | |
| | | 7 | |
| | | 8 | |
| | | 9 | |
| | | 10 | |
| | | 11 | |
| | | 12 | |
| | | 13 | |
| | | 14 | |
| | | 15 | |
| | | 16 | |
| | | 17 | |
| | | 18 | |
| | | 19 | |
| | | 20 | |
| | | 21 | |
| | | 22 | |
| | | 23 | |
| | | 24 | |
| | | 25 | |
| | | 26 | |
| | | 27 | |
| | | 28 | |
| | | 29 | |
| | | 30 | |
| | | 31 | |
| | | 32 | |
| | | 33 | |
| | | 34 | |
| | | 35 | |
| | | 36 | |
| | | 37 | |
| | | 38 | |
| | | 39 | |
| | | 40 | |
| | | 41 | |
| | | 42 | |
| | | 43 | |
| | | 44 | |
| | | 45 | |
| | | 46 | |
| | | 47 | |
| | | 48 | |
| | | 49 | |
| | | 50 | |
| | | 51 | |
| | | 52 | |
| | | 53 | |
| | | 54 | |
| | | 55 | |
| | | 56 | |
| | | 57 | |
| | | 58 | |
| | | 59 | |
| | | 60 | |
| | | 61 | |
| | | 62 | |
| | | 63 | |
| | | 64 | |
| | | 65 | |
| | | 66 | |
| | | 67 | |
| | | 68 | |
| | | 69 | |
| | | 70 | |
| | | 71 | |
| | | 72 | |
| | | 73 | |
| | | 74 | |
| | | 75 | |
| | | 76 | |
| | | 77 | |
| | | 78 | |
| | | 79 | |
| | | 80 | |
| | | 81 | |
| | | 82 | |
| | | 83 | |
| | | 84 | |
| | | 85 | |
| | | 86 | |
| | | 87 | |
| | | 88 | |
| | | 89 | |
| | | 90 | |
| | | 91 | |
| | | 92 | |
| | | 93 | |
| | | 94 | |
| | | 95 | |
| | | 96 | |
| | | 97 | |
| | | 98 | |
| | | 99 | |
| | | 100 | |



TOWN OF BRANFORD
TOWN CENTER SIDEWALK REHABILITATION
PROJECT NO.
SITE PLAN



| | |
|--------------------------|---------------|
| DATE: 12/18/2025 | SCALE: 1"=40' |
| SUBMITTED BY: KAO | REVISIONS |
| APPROVED BY: JMH | BY |
| FILE NAME: SITE PLAN.dwg | DATE |
| REVISION NO. | DESCRIPTION |
| | |
| | |
| | |
| | |
| | |

SHEET
6 OF 6